
Piperacillin

Quality Solutions

Category: Antibiotic



USP can support your development and manufacturing activities on Piperacillin-based medicines with these existing and upcoming standards.

Official and Proposed Documentary Standards and Associated Physical Materials



MONOGRAPH 1

PIPERACILLIN Official as of 01-Aug-2023	
USP Piperacillin RS	<u>USP-1541500</u>
USP Ampicillin RS	<u>USP-1033000</u>

MONOGRAPH 2

PIPERACILLIN SODIUM Official as of 01-Dec-2019	
USP Piperacillin RS	<u>USP-1541500</u>
USP Ampicillin RS	<u>USP-1033000</u>

MONOGRAPH 3

PIPERACILLIN AND TAZOBACTAM FOR INJECTION Official as of 01-Mar-2018 USP Piperacillin RS USP-1541500 USP Piperacillin Related Compound E RS USP-1541529 USP Tazobactam RS USP-1643383 USP Tazobactam Related Compound A RS USP-1643394 USP Amoxicillin Related Compound A RS USP-1031514

MONOGRAPH 4

PHARMACEUTICAL ANALYTICAL IMPURITIES (PAI)*	
USP Ampicillin RS	<u>USP-1033000</u>
USP Piperacillin RS	<u>USP-1541500</u>
Official as of 01-May-2020	

USP Piperacillin Sulfoxide PAI NEW	<u>USP-1A06290</u>
USP Piperacillin Penilloic Acid PAI COMING SOON	<u>USP-1A06560</u>

INCLUDED GENERAL CHAPTERS

PIPERACILLIN FOR INJECTION

<1> INJECTIONS AND IMPLANTED DRUG PRODUCTS (PARENTERALS)—PRODUCT QUALITY TESTS
Official as of 01-May-2024

<7> LABELING~

Official as of 01-Sep-2023

<11> USP REFERENCE STANDARDS

Official as of 01-Nov-2020

<85> BACTERIAL ENDOTOXINS TEST

Official as of O1-May-2018

USP Endotoxin RS USP-1235503

<191> IDENTIFICATION TESTS—GENERAL

Official as of 01-May-2021

<197> SPECTROSCOPIC IDENTIFICATION TESTS

Official as of 01-Sep-2021

<621> CHROMATOGRAPHY

Official as of 01-Oct-2023

<659> PACKAGING AND STORAGE EQUIREMENTS

Official as of 01-Apr-2021

<71> STERILITY TESTS

Official as of 31-Dec-2012

<781> OPTICAL ROTATION

Official as of O1-Dec-2022

<788> PARTICULATE MATTER IN INJECTIONS

Official as of O1-May-2013

USP Endotoxin RS	<u>USP-1235503</u>
USP Particle Count RS	<u>USP-1500502</u>

<791> PH

Official as of 01-Nov-2020

<905> UNIFORMITY OF DOSAGE UNITS


Official as of 01-Aug-2023



Piperacillin

Quality Solutions

Category: Antibiotic



USP can support your development and manufacturing activities on Piperacillin-based medicines with these existing and upcoming standards.

Official and Proposed Documentary Standards and Associated Physical Materials



<921> WATER DETERMINATION Official as of 01-May-2022	
USP Sodium Tartrate Dihydrate RS	<u>USP-1614909</u>

INCLUDED EXCIPIENTS

WATER FOR INJECTION Official as of 01-Nov-2018	
USP 1,4-Benzoquinone RS	<u>USP-1056504</u>

SODIUM BICARBONATE Official as of 01-Jun-2023

DEXTROSE EXCIPIENT Official as of 01-Jun-2023	
USP Dextrose RS	<u>USP-1181302</u>
USP Fructose RS	<u>USP-1286504</u>
USP Maltose Monohydrate RS	<u>USP-1375025</u>
USP Maltotriose RS	<u>USP-1375047</u>

EDETATE DISODIUM Official as of 01-May-2020	
USP Edetate Disodium RS	<u>USP-1233009</u>

LIDOCAINE HYDROCHLORIDE Official as of 01-May-2020	
USP Lidocaine Hydrochloride RS	<u>USP-1366013</u>
USP Lidocaine Related Compound H RS	<u>USP-1366080</u>
USP Ropivacaine Related Compound A RS	USP-1605512

^{*} Documents in PF Online are not official and not suitable to demonstrate compliance. They may never become official.

Disclaimer: USP Quality Solution Sheets are provided as a convenience and for informational purposes only. Labmix24 makes reasonable efforts to provide correct information but assumes no liability for the completeness, timeliness or accuracy of the information contained in each QSS. It is the responsibility of the user to verify the information. The US Pharmacopeia remains the official source of this information.



^{*} Pharmaceutical Analytical Impurities (PAI products) are released using a process developed by USP's subject matter experts. The release process is based on internal policies, standard operating procedures, and requirements as defined by USP's Quality Management System. USP is an ISO 9001:2015 certified facility. PAI products are different from official USP Reference Standards. PAI products are not required for compendial compliance.